



PROFESSIONAL TORCHES




PERSONAL TORCHES

Small and mighty! Peli's advanced lighting products are designed to be compact yet incredibly bright and lightweight.

MITYLITE™ 2AAA

Cat No. 1900

- High performance Xenon lamp module
- Twist on/off lens shroud
- Hi-impact Xenoy® resin body
- Shirt clip
- 90° Light Bender (included)
- 2 AAA batteries (included)



VERSABRITE™

Cat No. 2250

- High performance Xenon lamp module
- Twist on/off lens shroud
- Swivel head directs the beam
- Clip for hands-free use
- Red and green night vision discs included
- Elasticated head-strap included
- 2 AA batteries (included)



MITYLITE™ 2AA

Cat No. 2300

- High performance Xenon lamp module
- Twist on/off lens shroud
- Xenoy® resin body with polycarbonate lens
- 2 AA batteries (included)



MITYLITE™ 2AA+

Cat No. 2340

- High performance Xenon lamp module
- Handy tail button on/off switch
- Hi-impact Xenoy® resin body with polycarbonate lens
- 2 AA batteries (included)



MEDIUM TORCHES

These models offer quality, durability and dependability.

PELILITE™

Cat No. 1800

- Pre-focused Xenon lamp module
- Twist on/off lens shroud
- Built for durability
- Waterproof
- 2 C cell batteries (not included)



SABRELITE™

Cat No. 2000

- Xenon beam penetrates smoke and fog
- Twist on/off lens shroud
- Rugged body with a hi-impact nylon lens
- Stainless steel split ring
- Adjustable wrist lanyard
- Spring loaded belt clip
- 3 C cells (not included)



STEALTHLITE™

Cat No. 2400


- One-handed safety switch
- Unbreakable body with a hi-impact polycarbonate lens
- Double shock mounted battery compartment
- Adjustable wrist lanyard
- Helmet mountable
- 4 AA batteries (included)



STEALTHLITE™ RECHARGEABLE

Cat No. 2450

- High performance Xenon lamp module
- One-handed safety switch
- Tough body with polycarbonate lens
- Water and Corrosion proof
- Smart Charger base with 240v charger and high-capacity industrial NiMH battery pack



PELI

9410 LED



- Compact LED hand lamp
- Lightweight 1.4kg
- High performance 710 lumen LED
- Ribbed handle prevents slipping
- 90° tilt-adjustable head for use as a lantern
- 3 mode switch – high, economy & flashing
- Shoulder strap supplied
- 3-stage battery level indicator
- Duration 1.5 hrs (high mode) – 3.5 hours (economy mode)



LED TORCHES

L1 LED

Cat No. 1930

- LED offers 130 hours of close up light
- End switch for momentary “blink” or constant “on” modes
- Lanyard with breakaway safety feature
- Pocket clip for easy attachment
- Red and green night vision discs included
- 4 x 1.5 coin cells (included)



LED FLEX - NECK

Cat No. 2365

- 1 Watt Luxeon LED beam
- Magnetic base for fixed position
- Push button tail switch
- Flexible cable neck to shine light where required
- 2 AA batteries (not included)



MITYLITE™ 2AAA LED

Cat No. 1960

- Compact LED pocket torch
- Clip for easy attachment
- Lightweight just 50g (inc. batteries)
- 2 x AAA batteries supplied



STEALTHLITE™ RECOIL LED

Cat No. 2410

- Uses RECOIL LED™ Technology
- Waterproof, ideal for wide range of applications
- 7.25 hours battery burn time
- Piercing, white 72 lumen beam
- 4 AA batteries (included)



MINI FLASHER™

Cat No. 2130

- Compact emergency light
- Twist on/off shroud
- LED pulses at a frequency of two pulses per second
- LED lamp never needs replacement
- 2 x L1154 1.5v coin-cell (included)



STEALTHLITE™ RECOIL LED RECHARGEABLE

Cat No. 2460

- Uses Peli's Recoil LED™
- One handed safety switch operation
- Rugged body with polycarbonate lens
- Smart Charger base with 240v charger and high-capacity industrial NiMh battery pack



VB3™ LED

Cat No. 2220

- Head flips up to activate LEDs and rotates 180° to aim light where required
- Multiple use built in clip
- Attaches to surface up to 10mm thick
- 2 x 3v coin cells



RECOIL™ LED WITH TRAFFIC WAND

Cat No. 2490

- Uses Peli's Recoil LED™
- Polymer based, opaque traffic wand
- 51 lumens
- Runtime of up to 15 hours
- 4 colour discs included
- 4 x AA batteries (not included)



NEMO™ TORCHES

Submersible Torches designed specifically for divers, in various models to suit all aspects of diving.

NEMO™

Cat No. 1900N

- Bright Xenon beam
- Compact, lightweight hand torch
- Convenient clip
- 2 AAA batteries (included)



NEMO™

Cat No. 2000N

- Xenon beam penetrates murky conditions
- Twist on/off lens shroud
- Rugged body with a hi-impact nylon lens
- Stainless steel split ring
- Adjustable wrist lanyard
- Spring loaded belt clip
- 3 C cells (not included)



NEMO™

Cat No. 2010N

- Powerful 65 lumen beam
- Rugged Body
- Twist on/off
- Built for durability and dependability
- 50 hours battery burn time
- 3 C cells (not included)



NEMO™

Cat No. 2400N

- One-handed on/off switch
- Unbreakable body with a hi-impact polycarbonate lens
- Double shock mounted battery compartment
- Adjustable wrist lanyard
- 4 AA Batteries (included)



NEMO™

Cat No. 2410N

- RECOIL LED™
- Powerful 72 lumen collimated beam
- Tough, corrosion proof body
- 7.25 hours battery life
- 4 AA cells (included)



NEMO™

Cat No. 4300N

- Powerful Xenon lamp produces 276 lumens
- Easy on/off magnetic switch
- Spare lamp included
- Rugged body and polycarbonate lens with over-moulded thermoplastic accents
- 8 C cells (not included)



TACTICAL TORCHES

Designed for police and security professionals, these tactical torches are compact and lightweight yet ultra bright.

M6



Cat No. 2320

- 1.3 amp Xenon lamp module
- Tail switch provides constant on/off or momentary light
- CNC-machined aluminium with deep knurled grip
- Safety lockout switch prevents inadvertent activation
- Cordura® holster included
- 2 x CR123 lithium cell batteries (included)

PM6



Cat No. 3320

- Super bright focused Xenon beam
- Tactical on/off tail switch
- Sturdy, detachable, magnesium coated clip
- Durable and lightweight polymer body
- Helmet light holder available
- 2 x CR123 lithium cell batteries (included)

M10



Cat No. 8040

- High performance Xenon lamp module
- Push button switch
- Durable body and polycarbonate lens
- Sure-grip vinyl sheath resists chemicals and extreme temperatures
- Polarity battery guard tray included
- 4 C batteries (not included)

M11 RECHARGEABLE



Cat No. 8050

- High performance Xenon lamp
- Push button switch
- Non slip grip for use in all weathers
- Powerful 151 lumen beam



TACTICAL LED TORCHES

These models incorporate the latest LED technology to produce compact, incredibly bright and efficient lights.

M6 LED



Cat No. 2330

- Powerful 1 Watt LED beam
- Convenient tail switch
- High grade aluminium with a non-slip knurled grip
- Cordura® holster included
- 2 x CR123 lithium cell batteries (included)

M5 LED



Cat No. 2360

- Bright, white 100 lumen beam
- Tough, aluminium body
- Tail button on/off switch
- Lightweight, just 130 grams
- 2 x AA batteries (not included)

M6 LED 3W



Cat No. 2390

- Powerful 3 Watt LED beam produces 190 lumens
- Tail switch
- CNC-machined from solid high grade aluminium with a non-slip knurled diamond pattern
- Cordura® holster included
- 2 x CR123 lithium cell batteries (included)

PM6 LED



Cat No. 3330

- Intense 1 Watt LED beam
- Tactical tail switch
- 40 hours battery burn time
- Durable and lightweight polymer body
- Helmet light holder available
- 2 x CR123 lithium cell batteries (included)

7060 LED RECHARGEABLE



Cat No. 7060

- On/off activation by tactical tail switch or side switch
- Powerful beam penetrates over 100 metres of darkness
- LED never needs replacing
- Low battery indicator



8060 LED RECHARGEABLE




























































Cat No. 8060

- Powerful 190 lumen beam
- 6 hours of light from one charge
- No slip grenade grip
- 4 C Alkaline batteries can also be used



TORCH SPECIFICATIONS

Product	Model No.	Light Source	Batteries	Key Features	Tested Lumen Value	Watts	Battery Burn Time	Length (mm)	Weight with batteries (g)	Colours						
	1900	Xenon	2 x AAA Alkaline	+ 	7	1.1	2 hrs	120	50							
	2250	Xenon	2 x AA Alkaline	+ 	7	1.8	6 hrs	98	90							
	2300	Xenon	2 x AA Alkaline	+ 	8	1.8	4 hrs	143	100							
	2340	Xenon	2 x AA Alkaline	+ 	8	1.8	4 hrs	159	100							
	1800	Xenon	2 x C cell Alkaline		15	2.2	8 hrs	152	220							
	2000	Xenon	3 x C cell Alkaline		33	3.3	5 hrs	198	360							
	2400	Xenon	4 x AA Alkaline	+ 	25	3.2	4 hrs	165	200							
	2450	Xenon	4 x AA NiMH Rechargeable	+ 	28	2.6	4 hrs	165	220							
	1930	LED	4 x LR 44 Alkaline	+ 	9	0.2	130 hrs	67	30							
	1960	LED	2 x AAA Alkaline	+ 	24	0.5	3 hrs	139	50							
	2130	LED	2 x L1154 Alkaline	+ 	4.7	0.5	130 hrs	44	10							
	2220	LED	2 x CR2032 Lithium	+ 	6	0.6	100 hrs	89	30							
	2365	LED	2 x AA Alkaline		56	1	7 hrs	557	260							
	2410	Recoil LED	4 x AA Alkaline	+ 	72	1	7.25 hrs	178	210							
	2460	Recoil LED	4 x AA NiMH Rechargeable	+  	40	1	32 hrs	178	220							
	2490	Recoil LED	4 x AA Alkaline		51	1	15 hrs	317	230							
	9410	LED	4 D Ni-MH	+ <table border="1" data-bbox="783 1160 815 1205"> <tr> <td>(Low)</td> <td>300</td> <td>3.5 hrs</td> </tr> <tr> <td>(High)</td> <td>710</td> <td>1.75 hours</td> </tr> </table>	(Low)	300	3.5 hrs	(High)	710	1.75 hours				220	1400	
(Low)	300	3.5 hrs														
(High)	710	1.75 hours														
	1900N	Xenon	2 x AAA Alkaline	+ 	7	1.1	2 hrs	120	50							
	2000N	Xenon	3 x C cell Alkaline		33	3.3	5 hrs	198	360							
	2010N	Recoil LED	3 x C cell Alkaline		65	1	50 hrs	206	380							
	2400N	Xenon	4 x AA Alkaline	+ 	25	3.2	4 hrs	165	200							
	2410N	Recoil LED	4 x AA Alkaline	+ 	72	1	7.25 hrs	178	210							
	4300N	Xenon	8 x C cell Alkaline		276	13.8	4 hrs	190	1040							
	2320	Xenon	2 x CR123 Lithium	+ 	74	7.8	1 hr	140	160							
	3320	Xenon	2 x CR123 Lithium	+ 	74	7.8	1 hr	134	100							
	8040	Xenon	4 x C cell Alkaline		72	4.8	8 hrs	286	520							
	8050	Xenon	4 x C cell NiCAD Rechargeable	+ 	151	9.12	2 hrs	286	510							
	2330	LED	2 x CR123 Lithium	+ 	100	1	40 hrs	140	160							
	2360	LED	2 x AA Alkaline		100	2.5	2 hrs	155	130							
	2390	LED	2 x CR123 Lithium	+ 	180	3	5 hrs	135	160							
	3330	LED	2 x CR123 Lithium	+ 	41	1	40 hrs	134	100							
	7060	LED	1 x Lithium-Ion Rechargeable	+ 	175	4.4	1.5 hrs	220	290							
	8060	LED	4 x C cell NiMH Rechargeable	+ 	190	3.7	6 hrs	322	660							

Product	Model No.	Light Source	Batteries	Key Features	Tested Lumen Value	Watts	Battery Burn Time	Approvals 	Length (mm)	Weight with batteries (g)	Colours
	1900Z1	Xenon	2 x AAA Alkaline	 	7	1.1	2 hrs	Ex II 2G Ex e ib IIB T4 Ex II 2D Ex ibD 21 IP67 T100°C	120	50	
	1930Z0	LED	4 x LR 44 Alkaline		9	0.2	130 hrs	Ex II 1G Ex ia IIC T4/T6	67	30	
	1965Z0	LED	2 x AAA Alkaline		24	0.5	3 hrs	Ex II 1G Ex ia IIC T4 Ex iaD 20 IP65 T90°C	139	60	
	2000Z1	Xenon	3 x C cell Alkaline		33	3.33	5 hrs	Ex II 2G Ex e ib IIC T4	198	360	
	2010Z1	Recoil LED	3 x C cell Alkaline		60	1	50 hrs	Ex II 2G Ex ib IIC T4	206	380	
	2220Z1	LED	2 x CR2032 Lithium		6	0.6	100 hrs	Ex II 2G Ex ib IIC T6	89	30	
	2340Z1	Xenon	2 x AA Alkaline		6	1.8	7 hrs	Ex II 2G Ex e ib IIC T4	159	100	
	2400Z1	Xenon	4 x AA Alkaline		25	3.2	4 hrs	Ex II 2G Ex e ib IIC T4	165	200	
	2410Z0	Recoil LED	4 x AA Alkaline		72	1	7.25 hrs	Ex II 1G Ga Ex ia IIC T4 Ex II 1D Da Ex iaD 20 IP66 T83°C	178	210	
	2460Z1	Recoil LED	4 X AA NiMH Rechargeable	  	40	1	32 hrs	Ex II 2G Ex ib IIC T4	178	220	
	3610Z0	Recoil LED	4 x AA Alkaline		72	1	7.25 hrs	Ex II 1G Ga Ex ia IIC T4 Ex II 1D Da Ex iaD 20 IP66 T83°C	191	300	
	3660Z1	Recoil LED	4 X AA NiMH Rechargeable	 	40	1	32 hrs	Ex II 2G Ex ib IIC T4	191	300	
	2610Z1	LED	3 x AAA Alkaline	 (Low)	3	0.135	150 hrs	Ex II 2G Ex ia IIB T4	38	90	
		(High)		9	0.405	80 hrs					
	2690Z0	LED	3 x AAA Alkaline		60	1	10 hrs	Ex II 1D/G Ex ia IIC T4 Ex iaD 20 IP65 T65°C	71	120	
	2620	LED (Low)	3 x AAA Alkaline	 (Low)	9	0.405	80 hrs		55	140	
		Xenon (High)		 (High)	14	1.53	3 hrs				
	2640	LED (Low)	4 x AA Alkaline	 (Low)	9	0.54	50 hrs		67	310	
		Halogen (High)		 (High)	21	3.48	3 hrs				
	2680	Recoil LED	4 x AA Alkaline	 	73	1	33 hrs		118	270	

SPECIFICATIONS

KEY FEATURES

 **Waterproof**

 **Batteries included**

 **Rechargeable**

 **Submersible**

All contents included in this brochure should be considered as guidelines and only valid at the time of being published.

Approvals issued for certain battery brands. For additional information please contact us.

INTRINSICALLY SAFE TORCHES

MITYLITE™ ZONE 1

Cat No. 1900Z1

- Compact, pocket torch
- Twist on/off lens shroud
- High performance Xenon lamp module
- Shirt clip
- 2 AAA batteries (included)



L1 LED ZONE 0

Cat No. 1930Z0

- End switch for momentary “blink” or constant “on” modes
- Lanyard with breakaway safety feature
- Pocket clip for easy attachment
- 4 x 1.5 coin cells (included)



MITYLITE™ 2AAA LED ZONE 0

Cat No. 1965Z0

- Compact LED pocket torch
- Corrosion-proof polymer body
- Clip for easy attachment
- Lightweight just 60g (inc. batteries)
- 2 x AAA batteries supplied



SABRELITE™ ZONE 1

Cat No. 2000Z1

- Beam pierces smoke & fog
- Twist on/off lens shroud
- Rugged body with a hi-impact polycarbonate lens
- Adjustable wrist lanyard
- Clip for easy attachment
- 3 C-cells (not included)



SABRELITE™ ZONE 1 RECOIL LED™

Cat No. 2010Z1

- Powerful 60 lumen beam
- 1 Watt LED using Recoil Technology
- Twist on/off shroud
- Rugged body
- Adjustable lanyard
- 3 C-cells (not included)



VB3™ LED ZONE 1

Cat No. 2220Z1

- Head flips up to activate LEDs
- Head tilts 180° to aim light where you need it
- 100 hours battery burn time
- 2 x 3v coin cells (included)



INTRINSICALLY SAFE HEAD TORCHES ARE AVAILABLE – SEE HEAD TORCHES PAGE 10.

MITYLITE™ 2340 ZONE 1**Cat No. 2340Z1**

- Push button on/off tail switch
- Xenon beam
- Compact, hand torch
- 2 AA batteries (not included)

**STEALTHLITE™ ZONE 1****Cat No. 2400Z1**

- One-handed safety switch
- Helmet mountable
- Adjustable wrist lanyard
- 4 AA batteries (not included)

**STEALTHLITE™ ZONE 0 RECOIL LED™****Cat No. 2410Z0**

- Recoil LED™ Technology
- 7.25 hours battery burn time
- One-handed safety switch
- Rugged body and polycarbonate lens
- Adjustable lanyard
- 4 AA batteries (not included)

**STEALTHLITE™ RECHARGEABLE****Cat No. 2460Z1**

- Recoil LED™ Technology
- One handed safety switch operation
- Rugged body with polycarbonate lens
- Smart Charger base with 240v charger and high-capacity industrial NiMH battery pack

**LITTLE ED™ ZONE 0 RECOIL LED™****Cat No. 3610Z0**

- Recoil LED™ produces 72 lumen beam
- One handed safety switch operation
- Rugged body with polycarbonate lens
- Powerful right-angled light
- Stainless steel clip for hands-free use
- 4 AA batteries (not included)

**LITTLE ED™ RECHARGEABLE LED****Cat No. 3660Z1**

- Powerful right-angled light
- Featuring Recoil LED™ technology
- Drop-in Smart Charger base with 240v charger hi-capacity NiMH battery pack
- One handed safety switch operation
- Rugged body with polycarbonate lens
- Stainless steel clip for hands-free use



For use in hazardous areas – an area in which special precautions are required when using electrical equipment due to the presence or chance of explosive atmospheres.

All models in this range comply with the **ATEX** directives and are certified to ATEX Zone 0 (Category 1) or Zone 1 (Category 2).



The wide choice includes hands-free, rechargeable and helmet mountable versions.

HEAD TORCHES

Peli™ Heads Up Lites offer high quality, lightweight head torches for hands-free light. The range includes LEDs, RECOIL LED™ and a combination of LEDs with either Xenon or Halogen lamps. All models include a cloth strap to wear directly on the head as well as a rubber strap for helmet/hard hat use.

HEADS UP LITE™

Cat No. 2620

- Multi angle pivoting head
- Dual mode beams:-
 - 3 LEDs (Low) or 1 Xenon lamp (High)
- Push button low/high or on/off switch
- Up to 80 hours of LED light
- 3 AAA batteries (included)



HEADS UP LITE™

Cat No. 2640

- Dual mode beams:-
 - 3 LEDs (Low) or 1 Halogen (High)
- High / Low side switch
- Up to 50 hours battery burn time
- Pivoting head directs light
- 4 AA batteries (included)



HEADS UP LITE™

Cat No. 2680


- Recoil LED™ Technology
- On/off side switch
- Rugged and Waterproof
- Powerful 73 lumen beam
- 4 AA batteries (included)



HEADS UP LITE™ ZONE 1

Cat No. 2610Z1

- Dual mode LED head light:-
 - 1 LED (Low) or 3 LEDs (High)
- Push button switch
- Lightweight just 90 grams
- 3 AAA batteries (included)



HEADS UP LITE™ ZONE 0

Cat No. 2690Z0

- Easy twist bezel switch for gloved hand operation
- 90° pivoting head directs the light where required
- Compact, lightweight LED headlamp
- Powerful 60 lumen beam
- 3 AAA batteries (included)



ACCESSORIES

WEAPON MOUNTS

- **610** – to mount **M6 series** to AR15, M16 and M4 Carbine.
- **620** – to mount **M6 series** to AR15, M16 and M4 Carbine.
- **630** – to mount **M6 series** on Heckler & Koch MP5.

TRAFFIC WANDS

Traffic wands attach to torch head shroud.

- **Small** (available in Orange) fits the **2320 M6** and **3320 PM6**.
- **Medium** fits the **7060 LED** and is available in Yellow or Orange.
- **Large** fits the **8040 M10**, **8050 M11**, **8060 LED** and the **SabreLite™** series and is available in Yellow or Orange.

CUSTOM LABELLING

We also offer custom labelling - please contact us for further details.



FRONT SITE MOUNT
Cat No. 0610



SIDE SLING MOUNT
Cat No. 0620

WEAPON MOUNTS



TRAFFIC WANDS



FOREGRIP MOUNT
Cat No. 0630



LIGHT MOUNTING SYSTEMS

2326 REMOTE PRESSURE SWITCH

Fits Peli Lights - 2320, 2330, 2390



Our tactical pressure switch replaces the standard tailcap on the light.

A 15cm cord attached to a 5cm pressure-sensitive mounts to the foregrip.

HELMET LIGHT HOLDERS

Fit most known helmet designs and functions with 17 different Peli lights. Tough polymer construction with brass inserts and stainless steel hardware.

Fit the following Peli Lights:

- M6 2320 • M6 2330 LED
- MityLite™ 2340Z1 • M6 3W 2390 LED
- StealthLite™ 2400/2400Z1
- StealthLite™ 2410/2410Z0 Recoil LED™
- StealthLite™ Rechargeable 2450
- StealthLite™ Rechargeable 2460/2460Z1 Recoil LED™
- PM6 3320 • PM6 3330 LED

HELMET CLIPS



0730 clip – attaches the **1930 L1** torch to various hard hats.

PL SHROUDS

FITS SABRELITE™ 2000

2003 PL PHOTOLUMINESCENT SHROUD



FITS 2010Z1 SABRELITE™ ZONE 1 RECOIL LED™

2013 PL PHOTOLUMINESCENT SHROUD



FITS 3600Z1 LITTLE ED™ ZONE 1

3600 PL PHOTOLUMINESCENT SHROUD



Full range of **Peli Protector Cases** and **Area Lighting Systems** are also available.

Please contact us for more details.



Peli Products (UK) Ltd
Tel: 01457 869999 www.peliproducts.co.uk



© 2011 Peli Products (UK) Ltd
All trademarks and logos displayed herein are registered and
unregistered trademarks of Peli Products, S.L. and others.